



W o r l d L e a d e r i n S p h e r i c a l A t t a c h m e n t s

CODE LIST

for Dentist and Dental Laboratory



[2015]

w w w . r h e i n 8 3 3 . c o m

OT EQUATOR



CASTABLE



Ref. 092ECQ

OT EQUATOR CASTABLE

KIT CONTAINS:

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS
(2 soft, 2 standard)

IMPLANTS



Ref. 130

OT EQUATOR for IMPLANTS

KIT CONTAINS:

- 1 TITANIUM ABUTMENT
- 1 STAINLESS STEEL HOUSINGS
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS
(1 extra-soft, 1 soft, 1 standard, 1 strong)



Ref. 030

- 1 TITANIUM ABUTMENT

BARS



Ref. 160EQB

OT EQUATOR threaded sleeve system for bonding

KIT CONTAINS:

- 2 EQUATOR THREADED for titanium sleeve (1.6 mm thread)
- 2 THREADED SLEEVES (1.6 mm thread)
- 2 STAINLESS STEEL HOUSINGS
- 2 EQUATOR SPACERS
- 8 RETENTIVE CAPS
(2 extra-soft, 2 soft, 2 standard, 2 processing)



Ref. 039SFE2

- 1 THREADED EQUATOR (direct into 2 mm thread)

Passive bar connections system "ELASTIC SEEGER"



Ref. 158EQS

ELASTIC SEEGER

KIT CONTAINS:

- 2 CASTABLE ABUTMENTS FOR SEEGER
- 3 RED PLASTIC SEEGER FOR LABORATORY
- 3 RETENTIVE ELASTIC FOR LOCKING THE ABUTMENTS
- 2 TOP LOCKING TITANIUM SCREWS

SPARE PARTS



Ref. 192ECE

CAPS ASSORTMENT KIT

KIT CONTAINS:

- 1 STAINLESS STEEL HOUSINGS
- 1 PROCESSING CAP
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS
(1 extra-soft, 1 soft, 1 standard, 1 strong)

Ref. 151SS

- 2 CASTABLE MALES

Ref. 140CEV

- 4 RETENTIVE CAPS - violet "STRONG" (2.7kg)

Ref. 140CET

- 4 RETENTIVE CAPS - white "STANDARD" (1.8kg)

Ref. 140CER

- 4 RETENTIVE CAPS - pink "SOFT" (1.2kg)

Ref. 140CEG

- 4 RETENTIVE CAPS - yellow "EXTRA-SOFT" (0.6kg)

Ref. 140CEN

- 4 PROCESSING CAPS - black for lab

Ref. 141CAE

- 2 STAINLESS STEEL HOUSINGS

Ref. 339SFE

- 1 EQUATOR THREADED 1.6mm (for titanium sleeve)

Ref. 239GSF

- 1 TITANIUM SLEEVE (1.6mm thread)

Ref. 339SSE

- 1 EQUATOR SPACER

Ref. 158TT

- 1 TITANIUM LOCKING SCREW

Ref. 158SEL

- 6 RED SEEGERs (for laboratory use)

Ref. 158SEE

- 6 WHITE SEEGERs (for bar locking)

Ref. 158TT

- 1 CASTABLE CYLINDER height 2,5mm (for seeger)

Ref. 158CCAE

- 1 HIGH CASTABLE CYLINDER height 3,5mm (for seeger)

ACCESSORIES



Ref. 144MTE

- 2 IMPRESSION COPING for individual tray

Ref. 144AE

- 2 LABORATORY ANALOG



Ref. 044CAIN

- 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR with interchangeable cap for pick up impression

TOOLS



Ref. 74AC01

- 1 PARALLELOMETER KEY "NORMAL"



Ref. 774CHE

- 1 OT-EQUATOR SQUARE SCREW DRIVER + HOLDER (square 1.25mm)



Ref. 774HC

- 1 OT-EQUATOR INTERCHANGEABLE HOLDER



Ref. 760CE

- 1 SQUARE DRIVER CONNECTOR for torque controller contra angle (square 1.25mm)



Ref. 085IAC

- 1 METAL INSERTION TOOL FOR CAPS with blue plastic insertion tool



Ref. 185SIS

- 1 METAL INSERTION TOOL FOR SEEGER use together with 124ICP BLU HANDLE



Ref. 091ECS

- 1 EXTRACTOR TOOL FOR CAPS



Ref. 760CRD

- 1 RATCHET TORQUE CONTROL DEVICE For Ot Equator, Sphero block and flex 15/35Ncm Strenght - Max 50Ncm torque, suggested 25Ncm

OT UNILATERAL

EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION



Ref. 098UNL

OT UNILATERAL + CONNECTOR

KIT CONTAINS:

- 1 UNILATERAL CASTABLE ATTACHMENT
- 1 UNI-BOX CASTABLE
- 1 PLASTIC POSITIONER MICRO SIZE
- 1 PINK CAP MICRO SIZE
- 1 STRATEGY YELLOW CAP (for duplication technique)
- 1 BLACK CAP MICRO SIZE (for laboratory use only)
- 1 STRATEGY BLACK CAP (for laboratory use only)
- 1 CONNECTOR



Ref. 156BCU

- 1 UNILATERAL CASTABLE ATTACHMENT



Ref. 156CCU

- 1 UNI-BOX CASTABLE

OT CAP TECNO



NORMAL

Ref. 093CTN

MICRO

Ref. 093CTM

OT CAP TECNO NORMAL/MICRO

KIT CONTAINS:

- 2 PRE-ANGULATED CASTABLE EXTENSIONS
- 2 TITANIUM SINGLE THREADED SPHERES
- 2 TITANIUM BOND-IN THREADED SLEEVES
- 2 TRANSPARENT CAPS NORMAL/MICRO
- 2 PINK CAPS NORMAL/MICRO
- 2 YELLOW CAPS NORMAL/MICRO



Ref. 193BCA

- 2 PRE-ANGULATED CASTABLE EXTENSIONS

SINGLE THREADED SPHERES

with THREADED SLEEVE TO BE GLUED NORMAL - MICRO



Ref. 139KSFN

KIT SINGLE THREADED SPHERE NORMAL SIZE + TiN with sleeve to be BONDED

KIT CONTAINS:

- 2 TITANIUM NORMAL SINGLE THREADED SPHERE (HEX mm. 1.3 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)



Ref. 139KSFM

KIT SINGLE THREADED SPHERE MICRO SIZE + TiN with sleeve to be BONDED

KIT CONTAINS:

- 2 TITANIUM MICRO SINGLE THREADED SPHERE (HEX mm. 0.9 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)

SPARE PARTS



Ref. 239SFN

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN for threaded sleeve HEX mm. 1.3 THREAD mm. 1.6



Ref. 239SFM

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN for threaded sleeve HEX mm. 0.9 THREAD mm. 1.6



Ref. 239GSF

- 1 TITANIUM BOND-IN THREADED SLEEVE for Normal and Micro - mm. 1.6



Ref. 239SSN

- 1 STAINLESS STEEL SPACER for THREADED SLEEVE (Normal sphere)



Ref. 239SSM

- 1 STAINLESS STEEL SPACER for THREADED SLEEVE (Micro sphere)

SINGLE THREADED SPHERES

For Cad/Cam or Self Tapping 2.0mm Thread - Normal and Micro Size



Ref. 039SFN2

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN
HEX 1.3mm, THREAD 2.0mm

Ref. 039SFM2

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN
HEX 0.9mm, THREAD 2.0mm

Ref. 760CBR

- HEX DRIVER FOR THREADED SPHERE NORMAL
HEX 1.3mm

Ref. 772CSF

- HEX DRIVER FOR THREADED SPHERE MICRO
HEX 0.9mm

OT CAP IMPRESSION COPINGS



Ref. 044CAIN

- 2 IMPRESSION COPINGS NORMAL SIZE Ø 2,5mm
with interchangeable cap

Ref. 044CAI22

- 2 IMPRESSION COPINGS Ø 2,25mm SPHERES
with interchangeable cap

Ref. 044CAIM

- 2 IMPRESSION COPINGS MICRO SIZE Ø 1,8mm
with interchangeable cap

OT CAP & OT BOX - OT STRATEGY - OT BAR - OT VERTICAL ATTACHMENTS OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER
KIT FOR LABORATORY:



Ref. 005SKLUS

KIT CONTAINS:

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 4 castable spheres (normal and micro size)
- 2 titanium single spheres (normal and micro size) + sphere holder + 2 sliding base
- 4 castable OT CAP bars (normal and micro size)
- 2 complete castable OT CAP TECNO bars (normal and micro size)
- 4 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 4 plastic positioner rings (normal and micro size)
- 16 OT CAP retentive caps (normal and micro size)
WHITE- standard retention - PINK soft retention - YELLOW extra soft retention
GREEN very elastic retention-
- 4 TITAN CAP titanium caps (normal and micro size)
- 4 BLACK CAPS- only for lab use - (normal and micro size)
- 8 S/STEEL housings
- 4 ANALOGUES for plaster models (normal and micro size)
- 4 protective disks
- 4 aluminium spacers (normal and micro size)

OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 6 retentive caps: 2 white - 2 pink - 2 yellow for housing
- 2 black caps for housing only for lab use
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:
WHITE - standard retention - PINK soft retention - YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use
- 2 ANALOGUES for plaster models

OT BAR MULTIUSE:

- 2 castable bar
- 1 gingival connector
- 2 positioner clip A
- 2 positioner clip B
- 4 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

TOOLS:

- 1 Pincers
- 2 Reamer tools for caps (normal and micro size)
- 1 Reamer tools for OT STRATEGY caps
- 2 Parallelometer keys for OT CAP (normal and micro size)
- 1 Parallelometer key for OT STRATEGY size
- 2 Parallelometer keys for OT CAP TECNO (normal and micro size)
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

OT CAP & OT BOX - OT STRATEGY- OT BAR - OT VERTICAL ATTACHMENTS

BASIC LABORATORY KIT:



Ref. 005SKLBUS

KIT CONTAINS:

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 8 castable spheres normal/micro
- 2 castable OT CAP bars (normal and micro size)
- 2 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 8 plastic positioner rings (normal and micro size)
- 13 OT CAP assorted retentive caps (normal and micro size)
PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use - (normal and micro size)
- 4 S/STEEL housings (normal and micro size)

OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 2 pink retentive caps
- 2 s/steel housings
- 2 plastic positioner rings
- 3 retentive caps for duplication technique:
PINK soft retention - YELLOW extra soft retention
- 4 black caps for duplication technique only for lab use

OT EQUATOR:

- 2 single males
- 2 stainless steel housings
- 4 retentive caps (2 soft, 2 standard)
- 2 processing black caps

OT UNILATERAL:

- 1 unilateral castable attachment
- 1 uni-box castable
- 1 plastic positioner micro size
- 2 ot cap micro size: 1 pink - 1 black processing cap
- 2 ot strategy (for duplication technique): 1 yellow - 1 black processing cap
- 1 connector

OT BAR MULTIUSE:

- 1 castable bar
- 1 gingival connector
- 4 positioner clip (A - B)
- 2 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention


OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

TOOLS:

- 1 Pincers
- 1 Parallelometer keys for OT CAP normal
- 1 Parallelometer keys for OT CAP micro
- 1 Parallelometer key for OT STRATEGY size
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

OT CAP SYSTEM ATTACHMENTS



Ref. 038STF
NORMAL SIZE

TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

KIT CONTAINS:

- 2 SINGLE TITANIUM FLEX SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STN
NORMAL SIZE

TITANIUM SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STM
MICRO SIZE

TITANIUM SINGLE SPHERE MICRO SIZE + TiN FOR LASER SOLDERING - FOR BONDING

KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 092CAN

NORMAL SIZE OT CAP

KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 092CAM

MICRO SIZE OT CAP

KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 196BCN

“ECONOMIC” OT CAP NORMAL SIZE

KIT CONTAINS:

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref 197BCM

“ECONOMIC” OT CAP MICRO SIZE

KIT CONTAINS:

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref. 099BSN

OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE

KIT CONTAINS:

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 099BSM

OT CAP & Mono OT BOX FOR FRAME MICRO SIZE

KIT CONTAINS:

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 058BSN

OT BOX SPECIAL NORMAL SIZE + CONNECTORS

KIT CONTAINS:

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 058BSM

OT BOX SPECIAL MICRO SIZE + CONNECTORS

KIT CONTAINS:

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCN

OT BOX CLASSIC NORMAL SIZE + CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCM

OT BOX CLASSIC MICRO SIZE + CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT BOX LARGE

OVERSIZED CASTABLE HOUSING FOR POSITIONING CAPS CHAIRSIDE



Ref. 253BLN

OT BOX LARGE NORMAL & CONNECTORS

KIT CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 253BLM

OT BOX LARGE MICRO & CONNECTORS

KIT CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT STRATEGY ATTACHMENTS



Ref. 098SSS

OT STRATEGY

CAPS FOR DUPLICATION TECHNIQUE

KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

OT STRATEGY

CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE

OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

OT BAR MULTIUSE & CONNECTORS

KIT CONTAINS:

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

OT VERTICAL ATTACHMENTS



Ref. 071OBV

OT VERTICAL

KIT CONTAINS:

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CERAMIC BARS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

OT REVERSE 3

EXTRA-CORONAL ATTACHMENTS: castable bars and retentive females in titanium + TiN to be bonded



Ref. 095PCR

OT REVERSE 3

KIT CONTAINS:

- 2 Castable arms
- 2 Retentive females in Titanium+TiN to be bonded
- 2 Retentive males attachment Titanium + nylon
- 2 Positioning rings for OT REVERSE 3
- 2 OT box mono

OVERDENTURE ATTACHMENTS




Ref. 011SPL

S.P.L. PIVOTS - COPING COVER PROMOTIONAL KIT FOR CLINIC

KIT CONTAINS:

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (WHITE - standard retention - PINK soft retention)
- 16 MICRO CAPS (WHITE - standard retention - PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 normal and 1 micro size)
- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING
- 4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS (grey 0° - green 7° - red 14°)
- 1 PINCERS



Ref. 033PSF

PIVOT FLEX TiN COATED TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size Adapted for COPING COVER

KIT CONTAINS:

- 1 TITANIUM PIVOT WITH SWIVEL SPHERE
- 1 STAINLESS STEEL HOUSING
- 2 PINK CAPS Normal Size - Soft retention
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Available for lengths
Normal sphere ø 2,5
Micro sphere ø 1,8

Ref. 036PTN

TITANIUM PIVOTS KIT NORMAL SIZE Adapted for COPING COVER

KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)



Ref. 036PTM

TITANIUM PIVOTS KIT MICRO SIZE Adapted for COPING COVER

KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

OT REVERSE 3 OVERDENTURE POSTS: for roots, available in one standard size

STANDARD LENGTH



Ref. 034PRK

KIT CONTAINS:

- 2 Root posts in Titanium + TiN
- 2 Retentive male attachment Titanium + nylon
- 2 Plastic manual tools
- 2 Stainless steel housings
- 2 Pink protective disks



Ref. 010PSP

CASTABLE PIVOTS FOR CANAL IMPRESSIONS

KIT CONTAINS:

- 20 CASTABLE PIVOTS NORMAL SIZE

Sizes available:
mm. 14 - 12 - 10 - 9 - 7



Ref. 012PSM

CASTABLE PIVOTS FOR CANAL IMPRESSIONS

KIT CONTAINS:

- 20 CASTABLE PIVOTS MICRO SIZE

Sizes available:
mm. 10 - 9 - 7

Ref. A01MOG

MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm.

Ref. A03MOB

MOOSER BUR FOR PIVOTS OF 12 - 14mm.

Ref. 121FD

OT REVERSE 3 DIAMOND SHAPING BUR FOR ROOTS

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE SPHERO FLEX - BLOCK SYSTEM



SPHERO FLEX WITH TIN COATED

Ref. 109

KIT CONTAINS:

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2.5 mm.)
- 3 CAPS (Yellow - Pink - White)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



SPHERO BLOCK NORMO WITH TIN COATED

Ref. 002

KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 2.5)
- 3 CAPS (Yellow - Pink - White)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS




SPHERO BLOCK MICRO WITH TIN COATED

Ref. 003

KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 1.8)
- 3 CAPS (Yellow - Pink - White)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

The SPHERO FLEX, SPHERO BLOCK attachments are available for the major implant brands. Upon request we can customize them for any kind of implants. When ordering, please always indicate: implant brand, implant diameter and cuff height. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7 MM.



AUXILIARY TOOLS: SPHERO FLEX - BLOCK



Ref. 771CEF

KEY FOR SPHERO FLEX AND SPHERO BLOCK (Normal - Micro size)
HEX mm. 2.3



Ref. 760CBM

HEX SCREWDRIVER FOR TORQUE CONTROLLER
CONTRA ANGLE



Ref. 760CRD 

RATCHET TORQUE CONTROL DEVICE
For Sphero block - flex and Ot Equator
15/35Ncm Strength - Max 50Ncm torque,
suggested 25Ncm.

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.


Ref. TE

Extra charge for applying the dowel



ELASTIC DOWEL

AUXILIARY TOOLS SPHERO FLEX - BLOCK



Ref. 100AD

DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK KIT CONTAINS:

- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 044ABN

SPHERO FLEX - BLOCK NORMO ANALOG KIT CONTAINS:

- 1 SPHERO BLOCK-FLEX NORMO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK NORMO CAP FOR LABORATORY USE



Ref. 044ABM

SPHERO BLOCK MICRO ANALOG KIT CONTAINS:

- 1 SPHERO BLOCK-MICRO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK MICRO CAP FOR LABORATORY USE

CUFF HEIGHT MEASURER


This tool is used to determine the cuff height of implants with internal or external hexagon.



Ref. 008MBG

KIT CONTAINS:

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS



OT LOCK LOCKING PIN TITANIUM AND CASTABLE

OT LOCK KIT TITANIUM



Ref. 880CLT

KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN

OT LOCK KIT TITANIUM ADJUSTABLE



Ref. 880CLR

KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

OT LOCK ACCESSORIES



Ref. 882CG

- 1 CONICAL GUIDE



Ref. 882CAS

- 1 UNLOCKING TOOL

SPARE PARTS: OT CAP SYSTEM

NORMAL Ø 2.5 mm:



Ref. 055SCN

- 4 CASTABLE SINGLE SPHERES NORMAL SIZE

Ref. 151BAN

- 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE

Ref. 150BPN

- 2 CASTABLE PRESECTIONED BARS NORMAL SIZE



Ref. 048CAN

- 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) ELASTIC AND GUMMY - 350 gr



Ref. 048CON

- 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) SLIGHTLY ELASTIC - 500gr



Ref. 049PCN

- 6 GREEN CAPS NORMAL SIZE VERY ELASTIC RETENTION - 350gr



Ref. 060CRN AY

- 6 YELLOW CAPS NORMAL SIZE EXTRA SOFT RETENTION - 500gr



Ref. 040CRN SN

- 6 PINK CAPS NORMAL SIZE SOFT RETENTION - 900gr



Ref. 040CRN

- 6 WHITE CAPS NORMAL SIZE STANDARD RETENTION - 1300gr



Ref. 040TCN

- 2 TITAN CAPS NORMAL SIZE



Ref. 043CLN

- 6 BLACK CAPS NORMAL SIZE (ONLY FOR LABORATORY USE)



Ref. 049PCNDR8

- 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (undersized internal diameter for worn out sphere or for Ø 2.25 SPHERE) - 350 gr



Ref.060CRNAYDR8

- 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (undersized internal diameter for worn out sphere or for Ø 2.25 SPHERE) - 500 gr



Ref.040CRNSNDR8

- 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) (undersized internal diameter for worn out sphere or for Ø 2.25 SPHERE) - 900 gr



Ref. 040CRNDR8

- 6 LIGHT GREEN CAPS NORMAL SIZE (STRONG RETENTION) (undersized internal diameter for worn out sphere or for Ø 2.25 SPHERE) - 1300 gr



Ref. 042AMN

- 2 MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS)



Ref. 041CAN

- 2 STAINLESS STEEL HOUSINGS NORMAL SIZE

Ref. 041CTN

- 2 TITANIUM HOUSINGS NORMAL SIZE



Ref. 101PPN

- 2 PLASTIC POSITIONER NORMAL SIZE



Ref. 044PPN

- 2 NORMAL TRANSFER PIVOTS









Ref. 100SAN

- 10 ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE

MICRO Ø 1.8 mm:

	Ref. 055SCM	• 4 CASTABLE SPHERES MICRO SIZE
	Ref. 151BAM	• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE
	Ref. 150BPM	• 2 CASTABLE PRESECTIONED BARS MICRO SIZE
	Ref. 048CAM	• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) ELASTIC AND GUMMY - 200gr
	Ref. 048COM	• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) SLIGHTLY ELASTIC - 450gr
	Ref. 049PCM	• 6 GREEN CAPS MICRO SIZE VERY ELASTIC RETENTION - 200gr
	Ref. 060CRM AY	• 6 YELLOW CAPS MICRO SIZE EXTRA SOFT RETENTION - 450gr
	Ref. 040CRM SN	• 6 PINK CAPS MICRO SIZE SOFT RETENTION - 800gr
	Ref. 040CRM	• 6 WHITE CAPS MICRO SIZE STANDARD RETENTION - 1100gr
	Ref. 040TCM	• 2 TITAN CAPS MICRO SIZE
	Ref. 043CLM	• 6 BLACK CAPS MICRO SIZE (ONLY FOR LABORATORY USE)
	Ref. 040CRMDR8	• 6 LIGHT GREEN CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)
	Ref. 049PCMDR8	• 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)
	Ref. 042AMM	• 2 MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)
	Ref. 041CAM	• 2 STAINLESS STEEL HOUSINGS MICRO SIZE
	Ref. 041CTM	• 2 TITANIUM HOUSINGS MICRO SIZE
	Ref. 101PPM	• 2 PLASTIC POSITIONER MICRO SIZE
	Ref. 044PPM	• 2 MICRO TRANSFER PIVOTS
	Ref. 100SAM	• 10 ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE

NORMO-MICRO TOOLS

	Ref. 085IAC	• INSERTION TOOL FOR CAPS - NORMAL AND MICRO SIZES (for metal housing and for inserting the caps in the mouth)
	Ref. 74AC01	• KEY FOR PARALLELOMETER NORMAL SIZE
	Ref. 74AC02	• KEY FOR PARALLELOMETER MICRO SIZE
	Ref. 74AC03	• TECNO KEY FOR PARALLELOMETER NORMAL AND MICRO SIZES (ONLY FOR OT CAP TECNO)
	Ref. 091EC	• REMOVAL TOOL FOR RETENTIVE CAPS
	Ref. 124ICP	• BLUE PLASTIC "MULTIUSE" INSERTION TOOL (for steel tool and for inserting the caps in the mouth)

NORMAL-MICRO TOOLS continued



Ref. 080RCN

• REAMER TOOL FOR OT CAPS - NORMAL SIZE



Ref. 080RCM

• REAMER TOOL FOR OT CAPS - MICRO SIZE



Ref. 082ATN

• TOOL FOR TESTING CAP RETENTION
NORMAL SIZE



Ref. 083ATM

• TOOL FOR TESTING CAP RETENTION
MICRO SIZE

NORMAL - MICRO ACCESSORIES AND 2.2mm



Ref. 155CC

• 6 CONNECTORS



Ref. 187CRS

• 2 CONCAVE SPHERES
AVAILABLE: 1.8 - 2.2 - 2.5mm



Ref. 187CRE

• 2 CONCAVE OT EQUATOR



Ref. 189SRS

• 2 SOLID SPHERES
AVAILABLE: mm. 1,8



Ref. 100PD

• 10 PROTECTIVE DISKS



Ref. 038GCS

• 2 CASTABLE SLIDING BASES



Ref. 044PP22

• 2 MICRO TRANSFER PIVOTS 2.2 mm

OT CAP ASSORTMENT KIT & CAP BOOKLET

KIT NORMAL

Ref. 074KAN

KIT MICRO

Ref. 074KAM

KIT CONTAINS:

- 8 WHITE CAPS - STANDARD RETENTION
- 8 PINK CAPS - SOFT RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 6 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
- 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 4 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 4 BLACK CAPS - LABORATORY USE ONLY
- 2 TITAN CAPS

ASSORTMENT KIT NORMAL & MICRO

KIT CONTAINS:

- 4+4 WHITE CAPS - STANDARD RETENTION
- 4+4 PINK CAPS - SOFT RETENTION
- 2+2 YELLOW CAPS - EXTRA SOFT RETENTION
- 3+3 GREEN CAPS - VERY ELASTIC RETENTION
- 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
- 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 2+2 BLACK CAPS - LABORATORY USE ONLY
- 1+1 TITAN CAPS

OT CAP ASSORTED RETENTIVE CAPS

NORMAL KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

OT CAP ASSORTED RETENTIVE CAPS

MICRO KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

Ref. 064ACN
NORMAL SIZE

Ref. 064ACM
MICRO SIZE



SPARE PARTS: OT STRATEGY



Ref. 154PCS

• 4 OT STRATEGY STANDARD MALES



Ref. 054PLS

• 4 OT STRATEGY HIGH MALES



Ref. 154STY

• 2 CASTABLE STEADY



Ref. 047CSD AY

• 4 STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE (EXTRA SOFT RETENTION) - 500gr



Ref. 047CSD SN

• 4 STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE (SOFT RETENTION) - 900gr



Ref. 047CSD

• 4 STRATEGY WHITE CAPS FOR DUPLICATION TECHNIQUE (STANDARD RETENTION) - 1300gr



Ref. 047CLS

• 4 STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE (FOR LABORATORY USE ONLY)



Ref. 047CSDDR8

• 4 AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE (undersized internal diameter for worn sphere or 1.7mm sphere)



Ref. 045CSM AY

• 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING (EXTRA SOFT RETENTION) - 500gr (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM SN

• 4 STRATEGY PINK CAPS FOR S/STEEL HOUSING (SOFT RETENTION) - 900gr (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM

• 4 STRATEGY WHITE CAPS FOR S/STEEL HOUSING (STANDARD RETENTION) - 1300gr (TO BE USED ONLY WITH HOUSINGS)



Ref. 045CLS

• 4 STRATEGY BLACK CAPS FOR S/STEEL HOUSING (FOR LABORATORY USE ONLY)



Ref. 045CSMDR8

• 4 AQUA STRATEGY CAPS FOR S/STEEL HOUSING (undersized internal diameter for worn sphere or 1.7mm sphere)



Ref. 046CSM

• 2 STRATEGY STAINLESS STEEL HOUSINGS



Ref. 101OTS

• 2 STRATEGY PLASTIC POSITIONER (For soldering stainless steel housings)

OT STRATEGY ASSORTMENT CAP KIT FOR DUPLICATION TECHNIQUE



Ref. 047ACS

KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION

OT STRATEGY ASSORTMENT CAP KIT FOR S/STEEL HOUSINGS



Ref. 045ACS

KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION

Ref. 044PPS

• 2 STRATEGY TRANSFER PIVOTS

Ref. 086ICS

• INSERTION TOOL FOR STRATEGY CAPS











Ref. 75AC04

• PARALLELOMETER KEY FOR STRATEGY CAPS

Ref. 081RCS

• REAMER TOOL FOR STRATEGY CAPS






SPARE PARTS: OT BAR MULTIUSE

	Ref. 022OBB	• 2 CASTABLE BARS OT BAR MULTIUSE
	Ref. 025CPB	• 4 CASTABLE BOXES OT BAR MULTIUSE
	Ref. 023CPA	• 4 POSITIONER CLIPS A
	Ref. 024CPB	• 4 POSITIONER CLIPS B
	Ref. 027CRG	• 4 YELLOW CLIPS (MEDIUM RETENTION 1,8Kg)
	Ref. 026CRR	• 4 PINK CLIPS (SOFT RETENTION 1,2Kg)
	Ref. 027CRS	• 4 RED CLIPS (EXTRA SOFT RETENTION 0,6Kg)
	Ref. 022RGO	• 2 CASTABLE CONNECTORS
	Ref. 029OIC	• TOOL FOR INSERTING OT BAR MULTIUSE CLIPS
	Ref. 028OCP	• PARALLELOMETER KEY FOR OT BAR MULTIUSE

SPARE PARTS: OT VERTICAL

	Ref. 072MCV	• 2 CASTABLE MALES • 2 PIN KEYS
	Ref. 072SCV	• 2 CASTABLE STEADY
	Ref. 072BCV	• 2 CERAMIC BARS
	Ref. 072CBV	• 4 WHITE CLIPS (STANDARD RETENTION)
	Ref. 072CVV	• 4 GREEN CLIPS (SOFT RETENTION)
	Ref. 072ICV	• 1 INSERTION TOOL FOR OT VERTICAL CLIPS

SPARE PARTS: OT REVERSE 3

	Ref. 120MR2	• 2 RETENTIVE MALES in TITANIUM + NYLON (Color WHITE/ STANDARD RETENTION)
	Ref. 041CAM A	• 2 S/STEEL HOUSINGS MICRO SIZE
	Ref. 121AOR	• 2 BRASS ANALOGS FOR ROOTS
	Ref. 121AAR	• 2 INOX IMPLANT ANALOGS
	Ref. 121MT	• 2 PLASTIC TRANSFER ANALOGS FOR IMPRESSION



Ref. 121AM

- 2 PLASTIC MANUAL TOOLS

Ref. 100PDR

- 10 PINK PROTECTIVE DISKS

Ref. 121PR

- 2 PLASTIC POSITIONERS FOR DUPLICATION

Ref. 124ICP

- PLASTIC BLUE INSERTING/HOLDER TOOL for caps

Ref. 124IMR

- METAL INSERTING TOOL FOR OT REVERSE/3 MALE

Ref. 72CBR

- S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR

Ref. 72CFR

- BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE

SPARE PARTS: OT LOCK



Ref. 882CS

- 1 SLIDING KEY
(only for titanium - castable locking pin)

Ref. 882AF

- 1 FLEXIBLE RING

Ref. 882CB

- 1 LOCKING KEY

Ref. 882CPT

- 1 TITANIUM PREFABRICATED HOUSING
(only for titanium - titanium adjustable locking pin)

Ref. 882PPC

- 1 CERAMIC PIN

Ref. 882CLSCT

- 1 ADJUSTABLE SLIDING KEY
(only for titanium adjustable locking pin)

Ref. 882DCC

- 9 CASTABLE SPACER RINGS
(only for titanium adjustable locking pin)

SPHERE REPAIR KITS



AVAILABLE
1.8 - 2.2 - 2.5

Ref. 087CRS

CONCAVE REPAIR SPHERE

KIT CONTAINS:

- 2 CONCAVE SPHERES IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



Ref. 087CRE

CONCAVE REPAIR OT EQUATOR

KIT CONTAINS:

- 2 CONCAVE OT EQUATOR IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



Ref. 089SRS

SOLID REPAIR SPHERE

KIT CONTAINS:

- 2 SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 2 PROTECTIVE DISKS
- 1 KEY

TITANIUM ATTACHMENTS FOR OVERDENTURE OT REVERSE SYSTEM - OT KLASS:

OT REVERSE SPARE PARTS AND OT KLASS ARE IN STOCK
FOR DETAILED INFORMATION PLEASE E-MAIL US OR CALL OUR OFFICES

COMPLEMENTARY ITEMS



Ref. 00PB

- SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)



Ref. 100AS

- 30 SILICON RINGS



Ref. NF

- Rhein'83 2 PART METAL BONDING COMPOSITE MATERIAL

ADJUSTABLE DENTURE BOXES

IT IS POSSIBLE TO SET UP SIX DIFFERENT INTERIOR SIZES



Ref. 0P6

KIT CONTAINS:

- 6 ASSORTED BOXES
COLOURS: BLUE - LIGHT BLUE - WHITE



BROKEN SCREW EXTRACTOR KIT

BROKEN SCREW EXTRACTOR KITS ARE MANUFACTURED FOR MOST IMPLANT BRANDS.



Ref. 680

KIT CONTAINS:

- 1 CLAW REAMER BUR
- 1 REVERSE CUTTING BUR
- 1 MANUAL EXTRACTOR
- 1 CENTERING DEVICE

Ref. 680FS

- 1 REVERSE CUTTING BUR

Ref. 680FA

- 1 CLAW REAMER BUR

RHEIN83

DIRECT SERVICES

Rhein'83 Direct Services

*A telephone service is available during office hours,
it furnishes direct answers for technical problems.
You can address to Rhein'83 for knowing the address of foreign distributors.*

Rhein'83 INTERNET: www.rhein83.com

E-mail: info@rhein83.com

Sales Dep.: angela.internationaltrade@rhein83.it

Technical support: gianni.storni@rhein83.it

RHEIN83[®] Srl

Via E. Zago, 10 - A/B/C
40128 (Bologna) Italy
Tel. (+39) 051 244510 - (+39) 051 244396
Fax (+39) 051 245238

<http://www.rhein83.com>
e-mail: info@rhein83.com

DISTRIBUTOR



UNI EN ISO 9001:2008
UNI CEI EN ISO 13485:2012